

APPENDIX B

<p>THIS SPACE IS RESERVED TO THE MUNICIPALITY</p> <p>APPLICATION N°: _____</p> <p>ROLL N°: _____</p>	<p>DATE APPLICATION RECEIVED</p>
---	---

ACCESSORY BUILDING (Garage, Shed, etc.)	
Front margin: _____	Back margin: _____ Side margin: _____ <u>right</u> _____ <u>left</u>
Surface of the accessory building: _____	Height (from the roof): _____
Type of foundation: _____	
Type of exterior finishing: _____	
Type of roof finishing:	<input type="checkbox"/> Sheet metal <input type="checkbox"/> Shingles <input type="checkbox"/> Other: _____
Number of existing accessory buildings (that are not attached to the house): _____	
Distance from the main building: _____	Height of the main building: _____
Exterior finishing of the main building: _____	
Distance from the septic system:	Tank: _____ / Weeping bed: _____

POOL AND SPA	
Type of pool:	<input type="checkbox"/> Inground <input type="checkbox"/> Semi-inground <input type="checkbox"/> Aboveground
Spa capacity:	<input type="checkbox"/> More than 2,000 Litres <input type="checkbox"/> Less than 2,000 Litres
Additional details:	<input type="checkbox"/> Rigid walls <input type="checkbox"/> Inflatable type <input type="checkbox"/> N/A
Diameter: _____	Depth: _____ Length: _____ Width: _____
Height of the pool or the spa calculated from the ground level: _____	
Location:	
Front margin: _____	Back margin: _____ Side margin: _____ <u>right</u> _____ <u>left</u>
Distance between the pool or the spa, and:	
The main building: _____	An accessory, or an accessory building: _____
The septic system:	Tank: _____ / Weeping bed: _____
Mode of access	
<input type="checkbox"/>	Ladder with security door that closes and locks itself automatically.



- Ladder or platform whose access is protected by an enclosure of 1,2 m (4 feet). It has a safety device installed on the inside of the enclosure, at the most 15 cm (6 inches) from the top part of the door and closes and locks itself automatically (latch and spring).
- Platform attached to the residence and built in such way that the access to the pool is protected by an enclosure of 1,2 m (4 feet). It has a safety device installed on the inside of the enclosure, at the most 15 cm (6 inches) from the top part of the door and closes and locks itself automatically (latch and spring).
- Enclosure of 1,2 m (4 feet) surrounding the pool. It has a safety device installed on the inside of the enclosure, at the most 15 cm (6 inches) from the top part of the door and closes and locks itself automatically (latch and spring).

Access control

Enclosure (guardrail) protecting access to the pool

Height of the enclosure: _____ metres feet (min. 1.2 m – 4 feet)
 Distance between the bars: _____ centimetres inches (less than 10 cm – 3.9 inches)
 Distance between the pool and the enclosure centimetres inches (max. 5cm – 1.9 inches)

Equipment

Distance between the filter and the pool: _____ metres feet (min. 1 m – 3.3 feet)
 Distance between the heat pump (if applicable) and the pool: _____ metres feet (min. 1m – 3.3 feet)
 The hoses connecting the equipment to the pool are flexible and are not installed to facilitate climbing of the pool nor its' enclosure: yes no
 Other equipment yes non / specify: _____

Safety equipment

Presence of a lifeline attached to a cable that is at least equal to the width or the diameter of the pool.

Deck

Dimensions of the deck: _____
 Distance between the deck stairs and the pool: _____ (min. 1m – 3.3 feet)

In addition, it is important to provide a layout plan produced by a land surveyor or of the municipal graphic matrix plan. It is also important to illustrate all of the security measures.

By signing this document, I acknowledge that the information provided herein is an accurate representation of the work contemplated.

 Signature

 Date

 Name (block letters)